

" Docket No.: YHK-0121

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Eung Chul PARK

Serial No.: 10/675,987

Filed: 10/2/2003

Confirmation No.: 7800

For PROTECTIVE FILM OF PLASMA DISPLAY PANEL AND METHOD OF FABRICATING THE SAME

U.S. Patent and Trademark Office
Customer Window, Mail Stop AF
Randolph Building
401 Dulany Street
Alexandria, VA 22314



EXPEDITED PROCEDURE
UNDER 37 C.F.R. § 1.116

Group Art Unit: 2879

Examiner: Sikha ROY

Customer No.: 34610

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

☒ No additional fee is required.

☐ Also attached:

The fee has been calculated as shown below:


	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	15	26		x \$50.00 =	
Independent Claims	3	4		x \$200.00=	
If multiple claims newly presented, add \$360.00					
Fee for extension of time					
TOTAL FEE DUE					0.00

☐ Please charge my Deposit Account No. 16-0607 in the amount of \$. An additional copy of this transmittal sheet is submitted herewith.

☐ A check in the amount of \$ _____ (Check # _____) is attached.

☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FLESHNER & KIM, LLP


Daniel Y.J. Kim
Registration No. 36,186
Joanna K. Mason
Registration No. 56,408

P.O. Box 221200
Chantilly, VA 20153-1200
(703) 766-3701 DYK:JKM/cah
Date: May 25, 2006
Q:\Documents\2017-109\95752

Docket No.: YHK-0121

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:

**EXPEDITED PROCEDURE
UNDER 37 C.F.R. §1.116**

Eung Chul PARK

Serial No.: 10/675,987

Group Art Unit: 2879

Confirmation No.: 7800

Examiner: Sikha ROY

Filed: October 2, 2003

Customer No.: 34610

For: **PROTECTIVE FILM OF PLASMA DISPLAY PANEL AND METHOD OF
FABRICATING THE SAME**

**REPLY AND/OR AMENDMENT
UNDER 37 C.F.R. §1.116**

U.S. Patent and Trademark Office
Customer Window, Mail Stop AF
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

In reply to the Final Office Action dated February 27, 2006, please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims

Remarks/Arguments begin after the listing of the claims.